

150A EMC Probe Amplifier



Description

The 150A EMC probe amplifier is a low-noise, wide-bandwidth amplifier designed for use with the Beehive Electronics 100 series EMC probes.

The 150A is typically placed between the EMC probe and the spectrum analyzer. Its high gain and low noise improve the system sensitivity dramatically. This higher sensitivity allows the user to widen the spectrum analyzer resolution bandwidth, resulting in faster sweeps and measurements. Depending on the model of spectrum analyzer used, sensitivity can be improved by 20 to 30 dB.

Features

- High gain and low noise improves measurement sensitivity and speed.
- Wide bandwidth allows it to be used with all 100 series probes.
- RF input and output protected against ESD and DC power.
- AC power supply included.
- Standard 50 ohm inputs and outputs allow it to be used in any application requiring a low noise amplifier.

Distribution in the UK & Ireland



www.lambdaphoto.co.uk


Specifications

Gain

32 dB

Frequency Response

100 kHz to 6.0 GHz: +/- 1.5 dB



Noise Figure

5 dB typical, 100 kHz to 4.0 GHz 6 dB typical, 4.0 GHz to 6.0 GHz




Fig 3: Typical noise figure

1dB Output Compression Point

+10 dBm, 100 kHz - 2 GHz +5 dBm, 2 GHz - 6 GHz

Port Characteristics

Impedance

50 ohms nominal

Maximum Input Power

+15 dBm

Maximum DC Voltage +/- 10 VDC

Connector

SMA female

Power

DC power input: +9VDC, 150 mA Connector: DC power jack, 2mm center pin, positive center Universal power supply (100-240 VAC, 50/60 Hz) included

Environmental

| Operating temperature: | 0C to 55C |
|------------------------|-------------|
| Storage temperature: | -20C to 70C |

Dimensions

| Height: | 1.4" |
|---------|------|
| Width: | 4.3" |
| Depth: | 4.2" |

Warranty

year warranty
day unconditional return policy

Distribution in the UK & Ireland



Characterisation, Measurement & Analysis Lambda Photometrics Limited Lambda House Batford Mill Harpenden Herts AL5 5BZ United Kingdom E: info@lambdaphoto.co.uk W: www.lambdaphoto.co.uk T: +44 (0)1582 764334 F: +44 (0)1582 712084