Dino-Lite USB 3.0 AM73000 Series

► USB 3.0, maximum 45fps

► 5 Megapixel EDGE sensor

Extended Depth of Field (EDOF)

Extended Dynamic Range (EDR)

Automatic Magnification Reading (AMR)

Adjustable polarizer

► Flexible-LED-Control (FLC)

And more...





DINO-LITE AM73000, SERIES USB 3.0

Dino-Lite models with USB 3.0 offer an image transfer speed of up to 45FPS at a 1280 x 960 resolution.





AM73915MZT

- 5 Megapixel Edge sensor
- USB 3.0, maximum 45fps
- 20-220x Magnification & Polarizer
- Flexible LED Control (FLC) & Polarizer
- Extended Depth of Field (EDOF)
- Extended Dynamic Range (EDR)
- Automatic Magnification Reading (AMR)

Also available: AM73915MZTL ▶

10-140x Magnification & Long working distance

AM73115MZT

- 5 Megapixel Edge sensor
- USB 3.0, maximum 45fps
- 10-220x Magnification
- Polarizer
- Flexible LED Control (FLC)

Also available : AM73115MZTL ▶ 10-140x Magnification &

Long working distance (2~23cm)

Also available: AM73115MTF ► 10-70x Magnification &

Extra Long working distance (11,5~48cm)



EDOF: The Extended Depth of Field feature automatically stacks images at different focus level to improve the depth of field on rough or uneven surfaces.



EDR: With the Extended Dynamic Range feature, the details of darker or EXTENDED brighter areas within the object can be revealed by stacking images at different exposure levels.



MAGNIFICATION AMR: With the built-in automatic magnification reading.





Distribution in the UK & Ireland



Lambda Photometrics Limited Lambda House Batford Mill Harpenden Herts AL5 5BZ **United Kingdom**

info@lambdaphoto.co.uk W: www.lambdaphoto.co.uk

+44 (0)1582 764334

+44 (0)1582 712084